





NARMS - EB 1997

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Swine



⬇ Breakpoint


■ Slaughter n=113;

■ Diagnostic n=195

NARMS - EB 1997

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Swine







⬇ Breakpoint

■ Slaughter n=113; ■ Diagnostic n=195

NARMS - EB 1997

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Swine



⬇ Breakpoint


■ Slaughter n=113;

■ Diagnostic n=195

NARMS - EB 1997

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Swine




⬇ Breakpoint

■ Slaughter n=113; ■ Diagnostic n=195

NARMS - EB 1997

Veterinary Isolates

Fig. 5. Minimum Inhibitory Concentrations by Antimicrobial Agent for *Salmonella* Isolates from Swine



⬇ Breakpoint

■ Slaughter n=113; ■ Diagnostic n=195